


Class 83—Frequency Control Systems

**CLASS 83
FREQUENCY CONTROL SYSTEMS**

CONFIDENTIAL

NAVSHIPS 900,109



NAVY TYPE DESIGNATION	FIRST ASSIGNED FOR	NAVY DRAWING OR SPECIFICATION	NAVY TYPE DESIGNATION	FIRST ASSIGNED FOR	NAVY DRAWING OR SPECIFICATION	NAVY TYPE DESIGNATION	FIRST ASSIGNED FOR	NAVY DRAWING OR SPECIFICATION
-----------------------	--------------------	-------------------------------	-----------------------	--------------------	-------------------------------	-----------------------	--------------------	-------------------------------

CW-83000 NX99-20953
 FREQ MONITORING ASSEMBLY:
 CONSISTS OF THE FOLLOWING NAVY TYPES:
 (1) CW-10201(1) CW-10202(1) CW-20216
 (1) CW-23364(1) CW-23365(1) CW-28015
 (2) CW-50132(2) 50133(2) CW-50135
 (1) CW-60061, A CABINET & ACCESSORIES.
 *AN/FGC-1A
 4/13/43 SPEC:X-61790-A CW:ES-804502
 AUG. 43 LIST 1 ISSUE 2

CW-83000
 CONVERTS ON A DIVERSITY BASIS VOICE
 FREQUENCY SIGNALS FROM ASSOCIATED RADIO
 RECEIVERS TO DC SIGNALS FOR THE OPERA-
 TION OF TONE KEYS-TWO TONE APPARATUS.
 INPUT: 108 TO 132 V. 1 PHASE. 50 TO 60~.

CW-83000-A AN/FGC-18
 FREQUENCY MONITORING
 ASSEMBLY: CONSISTS OF THE FOLLOWING
 NAVY TYPES: (1) CW-10201 (1) CW-10202
 (1) CW-20216-A (1) 23364 (1) CW-23365
 (1) CW-28015 (1) CW-29416 (2) CW-50132
 (2) CW-50133-A (2) CW-50135-A (1) CW-
 60061, A CABINET AND ACCESSORIES. COM-
 1/15/45 CW:X-61790AA-L1
 FEB. 45

CW-83000-A
 VERTS ON A DIVERSITY BASIS VOICE
 FREQUENCY SIGNALS FROM ASSOCIATED RADIO
 RECEIVERS TO DC SIGNALS FOR OPERATION OF
 TONE KEYS-TWO TONE APPARATUS. INPUT
 108 TO 132V. 1Φ 50 TO 60~. SAME AS
 CW-83000 EXCEPT FOR MINOR MODIFICATIONS.
 ADDITION OF CW-29416 FOR DIRECT
 OPERATION FROM TELETYPEWRITER.

			ASSIGNED ISSUED				ASSIGNED ISSUED			
DATE	MANUFACTURER'S DESIGNATION	MANUFACTURER'S DRAWING NUMBER		DATE	MANUFACTURER'S DESIGNATION	MANUFACTURER'S DRAWING NUMBER		DATE	MANUFACTURER'S DESIGNATION	MANUFACTURER'S DRAWING NUMBER

