

SEND FOR MORE
FREE LITERATURE
FROM






TELETYPE[®]
CORPORATION SUBSIDIARY OF Western Electric Company INC.


A business reply card is attached for your convenience.

We invite you to send for more free literature describing Teletype equipment. These brochures are semi-technical in content, including some engineering specifications, equipment applications and illustrations which may be helpful to you in your message and data communications planning.


As new literature is introduced it will appear in this booklet.

Look for new equipment brochures for your files or to give to your staff for reference material. We welcome the opportunity to help you. The code for each brochure precedes the explanatory reference. Please order by this code and quantity desired.





CPL—Complete Model 28 Product Line, 100 words per minute, printers, punches and readers, 5 level code.




ASR—Model 28 Automatic Send-Receive Set, 100 words per minute, a composite set composed of printer, reader and punch, 5 level code.



28 KSR & 28RO—Model 28 Page Printer, 100 words per minute, 5 level code.




LBXD—Model 28 Multi-Contact Tape Reader, 100 words per minute, 5, 6, 7 or 8 level codes, twin shaft design, parallel-wire or sequential transmission.



Min. LXD—Model 28 Single Contact Tape Reader, 100 words per minute, 5, 6, 7 or 8 level code, sequential or optional parallel-wire output, compact model.




LXD—Model 28 Tape Reader, 100 words per minute, 5 or 6 level codes, sequential or optional parallel-wire output, standard size.



LARP—Model 28 Multi-Magnet Tape Punch Set, 200 words per minute, 5, 6, 7 or 8 level codes, parallel-wire input.




28 LP—Technical Data Sheet on the Model 28 Page Printer giving specifications and components.




LPR—Model 28 Typing Reperforator Set, 5 level code, printed "chadless" tape, optional gear shift for changing to slower speeds.



TASP—Teletype Automatic Switching Package, a "switch-board" unit for systems using Teletype equipment.




BRPE—High-Speed Tape Punch, 1000 words per minute, parallel-wire, 5, 6, 7 or 8 level codes, can be used to receive data over regular telephone lines with supplementary equipment, or output device for computer.




CX—High-Speed Reader, 1000 words per minute, parallel-wire 5, 6, 7 or 8 level codes, can be used to transmit data over regular telephone lines with supplementary equipment, or input device for computer.



SMD—Teletypewriter Receiving Selector Magnet Driver, catalog sheet giving specifications for this electronic component which replaces mechanical line relays.




DXD—Stroboscopic Signal Distortion Test Set, gives explanation of this unit which is used to test various types of Teletype equipment.



TAPE-TO-TAPE—The New Hi-Speed Communications Set, preliminary information on Teletype Corporation's new 1000 word-per-minute message and data communications system operating over telephone lines.




RT—Model 28 Reperforator Transmitter-Distributor Set, 100 or 200 words per minute, sequential or parallel-wire operation depending upon components, 5 level code.




BUSINESS REPLY CARD
First Class Postal Permit No. 480, Skokie, Ill.

Advertising Department
TELETYPE CORPORATION
5555 West Touhy Avenue
Skokie, Illinois



USE
THIS
HANDY
ORDER
CARD



Please send me the following literature describing Teletype equipment:

CODE	QUANTITY	CODE	QUANTITY
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

NAME _____


TITLE _____

COMPANY _____


STREET _____

CITY _____ ZONE _____ STATE _____

Please have your representative call.



28SB—Model 28 Stunt Box, explanation of Teletype Corporation's unique Stunt Box, a versatile unit in all Model 28 page printers which initiates electrical and mechanical functions within the printer and in external equipment.



TELETYPE
CORPORATION SUBSIDIARY OF Western Electric Company INC.

GENERAL OFFICES

5555 Touhy Avenue
Skokie, Illinois
Phones: ORchard 6-1000, Skokie
CORnelia 7-6700, Chicago
Direct Distance Dialing
Area Code 312

TWX: 312-677-6700
(After hours unattended service)
W.U. Service on premises

GOVERNMENT LIAISON OFFICE

425—13th Street, N.W.
Washington 4, D.C.
Phone: METropolitan 8-1016

2M2862 LITHO IN U.S.A.